
  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

***The SAMREC Code – manual or guide***


Ken Lomborg (Coffey Mining) and  
Steven Rupprecht (University of Johannesburg)

*The SAMREC Code – manual or guide*


 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Outline


- Background
- The Importance of the Reporting Codes
- Role of the SAMREC Code
- Role of the Competent Person
- Changes to The SAMREC Code




*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES


## Chairman of SAMREC




**Ken Lomberg**  
BSc(Hons) Geology, BCom, MEng  
FGSSA, Pr.Sci.Nat.  
Senior Principal Consultant  
Coffey Mining  
30 years experience in SA




*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES


## Deputy Chairman of SAMREC




**Steven Rupprecht**  
BSc, PhD, Pr.Eng.  
Senior Lecturer  
University of Johannesburg

 UNIVERSITY OF JOHANNESBURG 30 years experience in SA

*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Background and History of the SAMREC Code



Timeline of events:


- 1971: JORC Committee
- 1980: USGS Circular 831
- 1989: JORC Code Published
- 1992: SAMREC WG Formed
- 1994: CMMI initiative (CRIRSCO)
- 1997: Denver Accord
- 2000: SAMREC Code
- 2002: CRIRSCO formed
- 2009: SAMREC Code
- 2016: SAMREC Code

Adopted by JSE


Adopted by SAIMM, GSSA, SACNASP, ECSA, PLATO

POSEIDON NICKEL  
AUSTRALIA'S NEW NICKEL

Bre-X Sandals

 BRE-X MINERALS LTD.  
**Fortune or Folly?**  
A golden story of greed and fear

*The SAMREC Code – manual or guide*



**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

**CRIRSCO**  
COMMITTEE FOR MINERAL RESERVES  
INTERNATIONAL REPORTING STANDARDS

*The mining industry is a **vital contributor to national and global economies**; never more so than at present with soaring demand for the commodities that it produces. It is a truly **international business** that depends on **the trust and confidence of investors and other stakeholders for its financial and operational well-being**. Unlike many other industries, it is based on **depleting mineral assets**, the knowledge of which is imperfect prior to the commencement of extraction. It is therefore essential that the industry **communicates the risks** associated with investment effectively and transparently in order to **earn the level of trust** necessary to underpin its activities.*

(CRIRSCO Website)

The SAMREC Code – manual or guide

**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

**Juniors**

**Majors**

Exploration      Pre-development      Capex      Production

**Resources**

**Reserves**

Measured

Proved

Indicated

Probable

Inferred

Pre-inferred

PFS

FS

Crossover

Private equity funds, hedge funds


Private equity funds, hedge funds, general public

Institutions, general public, banks

Discovery

Operations


The SAMREC Code – manual or guide



**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## The Importance of the Reporting Codes

- Provides minimum standards for reporting of Exploration Results, Mineral Resources and Mineral Reserves;
- Adds credibility to declarations by project promoters and assists in comparisons due to the uniform basis of declaration;
- Assists professionals by providing guidance; and
- Assists the Competent Person to demonstrate the legitimacy of the declaration and provides credibility to the Public Report.
- Promoting High Standards of Reporting
- Maintaining the trust of investors and other interested parties



*The SAMREC Code – manual or guide*



**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES


## Role of the Competent Person

- Fully Understand the meaning and the responsibilities
- What it is not just:-
  - about the professional training received
  - Suitable experience
  - having a supervisory role
  - Being designated
- Takes responsibility for that part of the Public Report
- Key professions supported by other professionals
 


<ul style="list-style-type: none"> <li>■ geologists</li> <li>■ Surveyors</li> <li>■ Mining engineers</li> </ul>	<ul style="list-style-type: none"> <li>■ economists</li> <li>■ metallurgists</li> <li>■ Engineers (geotechnical, ventilation, civil, mechanical, electrical)</li> <li>■ environmentalists</li> <li>■ social scientists/practitioners, and</li> <li>■ lawyers etc.</li> </ul>
---	--



*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

- Contributing professionals to justify and document their technical inputs
- This approach relies on the professional to be prepared to face their peers and being willing to take responsibility for the result.
- The guidelines
  - support these declarations,
  - the sustainability of the industry and
  - the efficient exploration of minerals.




*The SAMREC Code – manual or guide*

 **SAMCODES** **PLATO**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES



**South African Geomatics Council (SAGC) and Institute of Mine Surveyors of South Africa (IMSSA) replace PLATO**




Land : Engineering : Photogrammetric : Mining : GIScience : Hydrographic

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Analogy of a Competent Person

Commercial Pilots Licence	Competent Person
<ul style="list-style-type: none"> <li>▪ Private Pilots Licence</li> <li>▪ Night qualification</li> <li>▪ Multi-Engine Rating</li> <li>▪ Instrument Rating</li> <li>▪ Type rating of a specific aircraft</li> <li>▪ Regular checks and updates</li> </ul>	<ul style="list-style-type: none"> <li>▪ Basic qualification</li> <li>▪ 5 Years experience</li> <li>▪ Registration – Pr.Sci.Nat.</li> <li>▪ (Specific) Relevant experience</li> <li>▪ Regular training</li> </ul>
	
<i>The SAMREC Code – manual or guide</i>	

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES


## Motivation to review and upgrade the Code

- The mineral industry has advanced and changed focus as the prevailing economic and political circumstances have changed;
- The manner in which projects and mines are funded, developed, and operated, is continually changing;
- There are shifting requirements by the investment community, government and society (social licence to operate);
- There is a need to promote greater efficiency in the capital raising and fund utilisation for exploration, mining, and production companies; and
- SAMREC must keep abreast of the advances made by other international reporting codes and eliminate possible contradictory reporting practices.



*The SAMREC Code – manual or guide*






**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## CRIRSCO Definitions adopted

<ul style="list-style-type: none"> <li>■ <i>Measured Resources</i></li> <li>■ <i>Mineral Reserve</i></li> <li>■ <i>Probable Reserve</i></li> <li>■ <i>Proved Reserve</i></li> <li>■ <i>Scoping Study</i></li> <li>■ <i>Pre-Feasibility Study</i></li> <li>■ <i>Feasibility Study</i></li> </ul>	<ul style="list-style-type: none"> <li>■ <i>Public Reports</i></li> <li>■ <i>Competent Person</i></li> <li>■ <i>Modifying Factors</i></li> <li>■ <i>Exploration Target</i></li> <li>■ <i>Exploration Results</i></li> <li>■ <i>Mineral Resource</i></li> <li>■ <i>Indicated Resource</i></li> <li>■ <i>Inferred Resource</i></li> </ul>
---	---


*The SAMREC Code – manual or guide*




**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Exploration Results

- Been used (and occasionally abused)
- Represents the entry level to declarations
- “presented in a way that unreasonably implies the discovery of potentially economic mineralisation”
- Referring to the deposit as Mineralisation is used so as not to communicate any degree of technical or economic reliance
- Exploration Targets unchanged in that ranges of tonnes and grade




*The SAMREC Code – manual or guide*


 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Exploration Results


- It is hoped that this will clearly indicate the low level of confidence in the information and ensure that a reported Exploration Target cannot be misconstrued or misrepresented as a Mineral Resource or Mineral Reserve




*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Risks and Table 1




*The SAMREC Code – manual or guide*




## Expansion of aspects of Table 1

- New format
- Tried to follow table of contents
- Looked widely at other codes and requirements
- Specific Coal requirements
- Specific Gemstones and Diamonds
- Specific Industrial Minerals
- Specific Metal Equivalents
- Emphasis on economics & transparency/materiality
- Issue of what investors require – noted in Readers Panel
- Information about the assessment of RPEEE




*The SAMREC Code – manual or guide*



## Updated Table 1

Exploration Results	Mineral Resources	Mineral Reserves
<b>General</b>		
<b>Section 1: Project Outline</b>		
<b>Section 2: Geological Setting, Deposit, Mineralisation</b>		
<b>Section 3: Exploration and Drilling, Sampling Techniques and Data</b>		
<b>Section 4: Estimation and Reporting of Exploration Results and Mineral Resources</b>		
<b>Section 5: Technical Studies</b>		
<b>Section 6: Estimation and Reporting of Mineral Reserves</b>		
<b>Section 7: Audits and Reviews</b>		
<b>Section 8: Other Relevant Information</b>		
<b>Section 9: Qualification of Competent Person(s) and other key technical staff. Date and Signature Page</b>		
<b>Section 10: Reporting of for Coal Resources and Reserves</b>		
<b>Section 11: Reporting of Diamonds and Gemstones</b>		
<b>Section 12: Reporting of Industrial Minerals</b>		
<b>Section 13: Reporting using Metal Equivalents</b>		


		Exploration Results	Mineral Resources	Mineral Reserves
<b>Section 4: Estimation and Reporting of Exploration Results and Mineral Resources</b>				
4.1	Geological Model and Interpretation	Describe the geological model, construction technique and assumptions that forms the basis for the Exploration Results or Mineral Resource estimate.		
		(i)	Discuss the sufficiency of data density to assure continuity of mineralisation and geology and provide an adequate basis for the estimation and classification procedures applied.	
		(ii)	Describe the nature, detail and reliability of geological information with which lithological, structural, mineralogical, alteration or other geological, geotechnical and geometallurgical characteristics were recorded.	
		(iii)	Describe any obvious geological, mining, metallurgical, environmental, social, infrastructural, legal and economic factors that could have a significant effect on the prospects of any possible exploration target or deposit.	
		(iv)	Discuss all known geological data that could materially influence the estimated quantity and quality of the Mineral Resource.	
		(v)	Discuss whether consideration was given to alternative interpretations or models and their possible effect (or potential risk), if any, on the Mineral Resource estimate.	
		(vi)	Discuss geological discounts (e.g. magnitude, per reef, domain, etc.) applied in the model, whether applied to mineralised and / or unmineralised material (e.g. potholes, faults, dykes, etc.).	
4.2	Estimation and Modelling Techniques	Describe in detail the estimation techniques and assumptions used to determine the grade and tonnage ranges.		
		(i)		
		(ii)	Discuss the nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values (cutting or capping), compositing (including by length and/or density), domaining, sample spacing, estimation unit size (block size), selective mining units, interpolation parameters and maximum distance of extrapolation from data points.	
		(iii)	Describe assumptions and justification of correlations made between variables.	
		(iv)	Provide details of any relevant specialised computer program (software) used, with the version number, together with the estimation parameters used.	
		(v)	State the processes of checking and validation, the comparison of model information to sample data and use of reconciliation data, and whether the Mineral Resource estimate takes account of such information.	
		(vi)	Describe the assumptions made regarding the estimation of any co-products, by-products or deleterious elements.	




**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

'if not, why not'


- Agreed to the principle
- Used of a verb i.e. ask a question
- Not an additional reporting requirement
- Triggers:
  - Maiden announcement
  - Significant change of a Material Project




*The SAMREC Code – manual or guide*


Technical Studies

- More definition and guidelines included for:
  - Scoping Study
  - Pre-feasibility Study
  - Feasibility Study
- Guideline Table added
- Additional table in line with SME



*The SAMREC Code – manual or guide*



Technical Studies


**A Scoping Study** is an order of **magnitude technical and economic study of the potential viability of Mineral Resources** that includes appropriate assessments of realistically assumed Modifying Factors together with any other relevant operational factors that are necessary to demonstrate at the time of reporting that progress to a Pre-Feasibility Study can be reasonably justified.

**A Pre-Feasibility Study** is a comprehensive study of a range of options for the technical and economic viability of a mineral project that has advanced to a stage where a preferred mining method, in the case of underground mining, or the pit configuration, in the case of an open pit, is established and an effective method of mineral processing is determined. It includes a financial analysis based on reasonable assumptions on the Modifying Factors and the evaluation of any other relevant factors which are sufficient for a Competent Person, acting reasonably, **to determine if all or part of the Mineral Resource may be converted to a Mineral Reserve at the time of reporting.** A Pre-Feasibility Study is at a lower confidence level than a Feasibility Study


**A Feasibility Study** is a comprehensive technical and economic study of the selected development option for a mineral project that includes appropriately detailed assessments of **applicable Modifying Factors together with any other relevant operational factors and detailed financial analysis that are necessary to demonstrate at the time of reporting that extraction is reasonably justified (economically mineable).** The results of the study may reasonably serve as the basis for a final decision by a proponent or financial institution to proceed with, or finance, the development of the project. The confidence level of the study will be higher than that of a Pre-Feasibility Study

*The SAMREC Code – manual or guide*

 <b>Table 2 – Capital Costs</b> <small>SAMCODES STANDARDS COMMITTEE THE SOUTH AFRICAN MINERAL REPORTING CODES</small>			
Capital Cost Category	Scoping Study	Prefeasibility Study	Feasibility Study
Basis of Estimate to include the following areas: Civil/structural, architectural, piping/HVAC, electrical, instrumentation, construction labour, construction labour productivity, material volumes/amounts, material/equipment, pricing, infrastructure	Order-of-magnitude, based on historic data or factoring. Engineering < 5% complete.	Estimated from historic factors or percentages and vendor quotes based on material volumes. Engineering at 5-20% complete.	Detailed from engineering at 20% to 50% complete, estimated material take-off quantities, and multiple vendor quotations
Contractors	Included in unit cost or as a percentage of total cost	Percentage of direct cost by area for contractors; historic for subcontractors	Written quotes from contractor and subcontractors
Engineering, procurement, and construction management (EPCM)	Percentage of estimated construction cost	Percentage of detailed construction cost	Calculated estimate from EPCM
Pricing	FOB mine site, including taxes and duties	FOB mine site, including taxes and duties	FOB mine site, including taxes and duties
Owner's costs	Historic estimate	Estimate from experience, factored from similar project	Estimate prepared from detailed zero-based budget
Environmental compliance	Factored from historic estimate	Estimate from experience, factored from similar project	Estimate prepared from detailed zero-based budget for design engineering and specific permit requirements
Escalation	Not considered	Based on entity's current budget percentage	Based on cost area with risk
Accuracy Range (Order of magnitude)	±50%	±15-25%	±10-15%
Contingency Range (Allowance for items not specified in scope that will be needed)	30-50%	15-30%	10% - 15% (actual to be determined based on risk analysis)


 <b>Table 2 – Operating Costs</b> <small>SAMCODES STANDARDS COMMITTEE THE SOUTH AFRICAN MINERAL REPORTING CODES</small>			
Operating Cost Category	Scoping Study	Prefeasibility Study	Feasibility Study
Basis	Order-of-magnitude, based on historic data or factoring.	Estimated from historic factors or percentages and vendor quotes based on material volumes.	Detailed estimate
Operating quantities	General	Specific estimates with some factoring	Detailed estimates
Unit costs	Based on historic data for factoring	Estimates for labour, power, and consumables, some factoring	Letter quotes from vendors; minimal factoring
Accuracy Range	±25-50%	15% - 25%	10% - 15%
Contingency Range (Allowance for items not specified in scope that will be needed)	+ 25%	+ 15%	+ 10% (actual to be determined based on risk analysis)

*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Point of Reference

- Introduction of the principle
- Point of sale applicable to bulk commodities and industrial minerals
- Shaft head for precious and base metals
- The reference point at which Reserves are defined, usually the point where the ore is delivered to the processing plant, must be stated. It is important that, in all situations where the reference point is different, such as for a saleable product, a clarifying statement is included to ensure that the reader is fully informed as to what is being reported.




*The SAMREC Code – manual or guide*

 **SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Site Visit



*The SAMREC Code – manual or guide*




**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Revision of aspects relating to Coal


The Systematic evaluation of Coal Deposits, Coal Resources and Coal Reserves (SANS 10320) provides the methodologies and definitions of the relevant terms that **should be considered** when preparing reports on Coal Resources and Coal Reserves.

Table 1 still applies

The confidence levels in the modifying factors must be disclosed for all ROM and Saleable Reserves.




*The SAMREC Code – manual or guide*



**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES


## Diamond and Gemstone section

- More comprehensive definition and general discussion
- Concern with alluvial diamonds addressed



*The SAMREC Code – manual or guide*






**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Introduction of a section on Industrial Minerals

- Adoption of JORC approach
- Guidance provided on deleterious minerals and product specifications



*The SAMREC Code – manual or guide*




**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Introduction of a section on Metal Equivalence

- Adoption of JORC approach
- Guidance provided on use of price, grade and metallurgical recovery




*The SAMREC Code – manual or guide*


Table of Contents

SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

Along the lines of NI 43-101



RECOMMENDED TABLE OF CONTENTS FOR COMPETENT PERSONS REPORT ("CPR")

This table of contents is given only as a guide to the compilation of CPR's. It is designed to incorporate all of the requirements of Table 1. It must be read in conjunction with Table 1 and the Code.


**Title Page**  
Include a title page setting out the title of the CPR, the general location of the mineral project, the name and professional designation of each CP, the effective date of the CPR and the date of signature.

**Executive Summary**  
Briefly summarize important information in the CPR, including property description and ownership, geology and mineralisation, the status of exploration, development and operations, Mineral Resource and Mineral Reserve estimates, and the CP's conclusions and recommendations.

**Table of Contents**  
Provide a table of contents listing the contents of the CPR, including figures and tables.

- 1 Introduction**
  - Terms of reference and scope of work
  - Sources of information
  - Units and currency
  - Site inspection or Field involvement of CP
  - Disclaimers and reliance on other experts or third party information
- 2 Project Outline**
  - Property description
  - Property location
  - Country profile
  - Legal aspects and permitting
  - Royalties and liabilities
- 3 Accessibility, Physiography, Climate, Local Resources and Infrastructure**
  - Topography, elevation and vegetation
  - Climate and weather
  - Access
  - Proximity to population centres and nature of transport
  - General infrastructure
- 4 Project History**
  - Previous ownership
  - Previous exploration and/or development
  - Previous Mineral Resource Estimates
  - Previous Mineral Reserve Estimates

The SAMREC Code – manual or guide


Signature page

SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES


CERTIFICATE OF COMPETENT PERSON

**Certificate of Competent Person**  
As the author of the report entitled [report title], I hereby state -



1. My name is [Competent Person's name] and [details – position in company, company name, address].
2. [profession and details of registration body].
3. [qualifications].
4. [relevant experience].
5. I am a "Competent Person" as defined in the SAMREC Code.
6. [Work undertaken or services rendered].
7. [Site inspection details].
8. [details of aspects of this report for which the CP is responsible].
9. I am not aware of any material fact or material change with respect to the subject matter of the Report, which is not reflected in the Report, the omission of which would make the Report misleading.
10. I declare that this report appropriately reflects the Competent Person's/author view.
11. I am independent/independent of [name of issuer].
12. I have read the SAMREC Code (2015) and the Report has been prepared in accordance with the guidelines of the SAMREC Code.
13. I do not have nor do I expect to receive a direct or indirect interest in the [project/mine details] or [name of issuer] OR I am an employee/shareholder/director or other interested party in respect of the issuer [name of issuer] or the mineral asset.
14. At the effective date of the Report, to the best of my knowledge, information and belief, the Report contains all scientific and technical information that is required to be disclosed to make the Report not misleading.


Dated at [place] and [date]

[Signed]  
[name of CP]





The SAMREC Code – manual or guide





A 'Mineable Tonnes In Situ Coal Resource' is the tonnage and coal quality, at a specified moisture content, contained in the coal seams or sections of the seams at the theoretical mining height, adjusted by the geological loss factors.





**SAMCODES**  
SAMCODES STANDARDS COMMITTEE  
THE SOUTH AFRICAN MINERAL REPORTING CODES

## Guideline or Manual?

- Does not specify the technical details
- The interpretation of the raw data requires the input of specialists
- Provides these guidelines
- Mechanism to assist in the progression of mining projects
- Holding various registered professionals accountable for their work

*The SAMREC Code – manual or guide*



**SAMCODES**  
THE SOUTH AFRICAN MINERAL REPORTING CODES

**WEBSITE**



[www.samcodes.co.za](http://www.samcodes.co.za)



**SAIMM**  
SOUTH AFRICAN INSTITUTE OF MINING AND METALLURGY  
[www.saimm.co.za](http://www.saimm.co.za)



**GSSA**  
GEOLOGICAL SURVEY OF SOUTH AFRICA  
[www.gssa.org.za](http://www.gssa.org.za)

43